

Utility Security Products

PRODUCT LINE OVERVIEW



About Us

SETTING THE STANDARD FOR UTILITY SECURITY & REVENUE PROTECTION

Highfield Manufacturing Co. is an innovator and leading global manufacturer of high-quality security systems for the electric, gas, water and CATV utility industries. We understand that safety, security and revenue protection are critical.

Our Capabilities

- 80+ years of proven dependability combating meter tampering
- Short lead times
- Pre-sale & post-sale application & service support by experts
- R&D lab for rapid prototype production
- Knowledgeable & committed customer care team
- Wide range of products for advanced protection of conventional & smart meters



Key Industries

- Electric Utility
- Gas Utility
- Water Utility
- Telecommunications
- Other



Certifications

- ISO 9001:2015
- RoHS Compliant



Manufacturing Facility

- Research & Development Lab
- CNC/DNC Machine Shop
- Internal Six Sigma
- Lean Manufacturing



Barrel Lock & Key Systems

Highfield offers a variety of barrel lock and key configurations that provide a range of security levels for the utility industries. We design our barrel lock and key systems to provide a user-friendly experience and increased level of security above conventional barrel locks.

#4 BARREL LOCK & KEY SYSTEM

The #4 Locking System is a cost effective way to meet your security requirements.

| BARREL LOCK SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-------------|-----------------------------------|
| #4 Series | 93180100 | #4 Silver Lock With End Cap |
| #4 Series | 93180100WS | #4 Lock With Seal Disk & End Cap |
| #4 Series | 93180102 | #4 Silver Lock Without End Cap |
| #4 Series | 93180102WS | #4 Lock With Seal Without End Cap |

| KEY SERIES | PART NUMBER | DESCRIPTION |
|------------|-------------|--------------------|
| #4 Series | 93480130 | #4 Standard Key |
| #4 Series | 93480131 | #4 Key With Spring |
| #4 Series | 93480132 | #4 Modified Key |

#5 & #5A BARREL LOCK & KEY SYSTEM

The #5 and #5A Barrel Lock and Key System features a unique key and plunger design and offers increased security over conventional barrel locks at a reasonable cost.

Note: The #5 and #5A keys are not interchangeable. The #5 key cannot open the #5A lock, and the #5A key cannot open the #5 lock.

| BARREL LOCK SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-------------|--------------------------------|
| #5 Series | 93180106 | #5 Silver Lock With End Cap |
| #5 Series | 93180110 | #5 Silver Lock Without End Cap |
| #5A Series | 93180240 | #5A Silver Lock With End Cap |

| KEY SERIES | PART NUMBER | DESCRIPTION |
|------------|-------------|------------------|
| #5 Series | 93480133 | #5 Standard Key |
| #5A Series | 93480134 | #5A Standard Key |

APPLICABLE INDUSTRIES



LOCK – 93180100



KEY – 93480130



KEY – 93480131



KEY – 93480132

APPLICABLE INDUSTRIES



KEY – 93480133



KEY – 93480134

Barrel Lock & Key Systems

#6 BARREL LOCK & KEY SYSTEM

The #6 Barrel Lock and Key System provides a smooth plunger design and heavy spring for pick resistance. In addition to optional stainless steel construction, this barrel lock and key system also meets the interchangeability requirements with other manufacturers' lock and keys.

Note: The #6 key can be used to open a #4 lock.

| BARREL LOCK SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-------------|--|
| #6 Series | 93180124 | #6 Gold Lock With End Cap |
| #6 Series | 93180124WS | #6 Gold Lock With Cap And Seal |
| #6 Series | 93180125 | #6 Gold Lock Without End Cap |
| #6 Series | 93180125WS | #6 Gold Lock With Seal Without End Cap |
| #6 Series | 93180126 | #6 Stainless Steel Lock Without End Cap |
| #6 Series | 93180126WS | #6 Stainless Steel Lock With Seal Without End Cap |
| #6 Series | 93180128 | #6 Stainless Steel Lock With End Cap |
| #6 Series | 93180128WS | #6 Stainless Steel Lock With End Cap And Seal Disk |
| #6 Series | 93180225 | #6 Lock - Short Gold Without End Cap |
| #6 Series | 93180225WS | #6 Short Gold Lock With Seal Without End Cap |
| #6 Series | 93180226 | #6 SS Lock - Short Less Cap |
| #6 Series | 93180226WS | #6 Short Stainless Steel Lock Less Cap With Seal |

| KEY SERIES | PART NUMBER | DESCRIPTION |
|------------|--------------|-----------------|
| #6 Series | 93480136 | #6 Standard Key |
| #6 Series | 93480136-EZY | #6 EZY Key |

APPLICABLE INDUSTRIES



LOCK – 93180124



LOCK – 93180125



LOCK – 93180128



KEY – 93480136



KEY – 93480136-EZY

Barrel Lock & Key Systems

REVPRO® BARREL LOCK & KEY SYSTEM

REVPRO® Barrel Lock and Key technology provides utilities one of the highest levels of security in the industry. Our proprietary design allows for thousands of non-interchangeable unique key code combinations that are controlled at the factory. This pin tumbler design offers superior pick protection over conventional plunger designs and disk tumblers.

| BARREL LOCK SERIES | PART NUMBER | DESCRIPTION |
|--------------------|------------------|---|
| REVPRO® Series | ETO-93180800-XXX | REVPRO® Barrel Lock Gold Without End Cap |
| REVPRO® Series | ETO-93180805-XXX | REVPRO® Barrel Lock Stainless Steel Without End Cap |
| REVPRO® Series | ETO-93180801-XXX | REVPRO® Barrel Lock Short Gold Without End Cap |
| REVPRO® Series | ETO-93180825-XXX | REVPRO® Barrel Lock Short Stainless Steel Without End Cap |

| KEY SERIES | PART NUMBER | DESCRIPTION |
|----------------|------------------|---------------------------|
| REVPRO® Series | ETO-93480800-XXX | REVPRO® Standard Key |
| REVPRO® Series | ETO-93480810-XXX | REVPRO® Anti-Rotation Key |

PALADIN BARREL LOCK & KEY SYSTEM

The Paladin Barrel Lock and Key system incorporates a solid, sealed design that eliminates the inherent issues with dirt, sand and water. Complementing the unique barrel lock is a robust and rugged ergonomic key design that eliminates key breakage common with current lever style keys.

| BARREL LOCK SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-------------|---|
| Paladin Series | 93125200 | Lock |
| Paladin Series | 93215201 | Lock With End Cap |
| Paladin Series | 93110105 | Stainless Steel With 2 Grooves & O Ring Seals Ideal For Paladin |

| KEY SERIES | PART NUMBER | DESCRIPTION |
|----------------|-------------|--------------|
| Paladin Series | 93425200 | Standard Key |

APPLICABLE INDUSTRIES



LOCK - ETO-93180800-XXX



LOCK - ETO-93180805-XXX



LOCK - ETO-93180801-XXX



KEY - ETO-93480800-XXX



KEY - ETO-93480810-XXX

APPLICABLE INDUSTRIES



LOCK - 93125200



KEY - 93425200

Barrel Lock & Key Systems

GARRISON LOCK & KEY SYSTEM

Built on Highfield's 80+ years of experience, the Garrison Lock and Key System offers the highest level of utility security and revenue protection. Improved features include preload capability, a dual-orientation key interface and a standard weather seal that eliminates sleeve rotation when fully enveloped in a lock housing. A new, classic-style key handle design also improves functionality. All non-interchangeable, unique key code combinations are registered and controlled at the factory.

Note: All Garrison locks are stainless steel.

| BARREL LOCK SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-----------------|-------------------------|
| Garrison Series | ETO-93180830-XX | Garrison Lock, Standard |
| Garrison Series | ETO-93180835-XX | Garrison Lock, Preload |

| KEY SERIES | PART NUMBER | DESCRIPTION |
|-----------------|-----------------|--------------|
| Garrison Series | ETO-93480830-XX | Garrison Key |

Note: Pair the Garrison Lock and Key System with our Hinged Stainless Steel Armor Ring for an environmentally-friendly, high security solution.

APPLICABLE INDUSTRIES



LOCK – ETO-93180830-XX



KEY – ETO-93480830-XX


Meter Locking Rings

Manufactured from carbon or stainless steel, Highfield's meter ring offering provides the highest level of security for electric meter boxes. We offer both the hinged and solid design with available preloaded options for added ease of installation. Optional colored powder coating is also available.

AMLR RINGS

A key is not required to install AMLR rings since a preloaded barrel lock and end cap can be included with each ring. This feature provides an extra level of key control for the utility. The rear flange of the ring is notched, allowing rapid mounting of the ring on the meter in the field. AMLR rings can be supplied in either stainless steel or case hardened carbon steel and includes a short or long barrel lock made of the same metal alloy.

APPLICABLE INDUSTRIES



AMLR Ring Part Number Description

9337 C P P 06 CS

| DEPARTMENT | MATERIAL | RING TYPE | SEAL | MTG. TYPE | LOCK SERIES | LOCK OPTIONS |
|-------------------------|------------------|----------------------|---------------------|--------------|---------------------------|--------------|
| 933 = Electric Security | C = Carbon Steel | P = Preload | P = Plastic Ferrule | 06 = #6 | CS = Carbon Short Lock | |
| 7 = AMLR Family | S = Stainless | I = Integral End Cap | M = Metal Ferrule | D4 = 4-Dot | SS = Stainless Short Lock | |
| | | | N = No Ferrule | RV = REVPRO® | SL = Stainless Long Lock | |
| | | | | No = No Lock | CL = Carbon Long Lock | |
| | | | | | XXX = REVPRO® Code | |



AMLR STAINLESS STEEL



AMLR CARBON STEEL

Meter Locking Rings

ARMOR FRONT ENTRY RINGS

Highfield's Armor Front Entry Meter Locking Ring Series is offered in three styles, each comprising a different combination of materials and features. All rings can be provided with either a side mounted seal tab or slotted seal ferrule that accepts wire and padlock seals.

Each ring style is engineered to ANSI standards with the user in mind for straightforward installation. The machined lock housing accepts Highfield's line of barrel locks as well as most barrel locks used today.


| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|----------------|-------------|--|
| Armor Ring | 93382010-S | Armor Ring, Solid Stainless Steel, No Ferrule With Side Seal Tab |
| Armor Ring | 93382011-S | Armor Ring, Solid Stainless Steel, Plastic Ferrule With Side Seal Tab |
| Armor Ring | 93382012-S | Armor Ring, Solid Stainless Steel, Plastic Ferrule Without Side Seal Tab |
| Armor Ring | 93382010 | Armor Ring, Solid Carbon Steel, No Ferrule With Side Seal Tab |
| Armor Ring | 93382011 | Armor Ring, Solid Carbon Steel, Plastic Ferrule With Side Seal Tab |
| Armor Ring | 93382012 | Armor Ring, Solid Carbon Steel, Plastic Ferrule Without Side Seal Tab |
| Armor Ring | 93382010-C6 | Armor Ring, Solid Steel, Seal Tab, Captured & Preloaded #6 Lock |
| Armor Ring | 93382020 | Armor Ring, Hinged Carbon Steel, No Ferrule With Side Seal Tab |
| Armor Ring | 93382021 | Armor Ring, Hinged Carbon Steel, Plastic Ferrule With Seal Tab |
| Armor Ring | 93382023SS | Armor Ring, Hinged Stainless Steel |

SNAP LOCK RINGS

Designed with AMI and AMR meter installations in mind, our Snap Lock Rings are user-friendly and do not require barrel locks, keys or hand tools to install. Simply squeeze the two-piece snap lock together, and it installs in seconds.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|---------------------|--------------|--|
| Snap Lock Component | 93380350-WSM | Econ-O-Ring Carbon Steel Assembly (Includes Snap Lock With Seal Mount) |
| Snap Lock Component | 93380350 | Econ-O-Ring Stainless Steel Assembly |
| Snap Lock Component | 93380351-WSM | Snap Lock For Econ-O-Ring Replacement With Seal Mount |
| Snap Lock Component | 93380356 | Removal Tool For All Econ-O-Ring Locks - Wide |
| Snap Lock Component | 93380358 | Ratchet Drive For Removal Tool |
| Snap Lock Component | 93380357 | Replacement Ram Screw For Removal Tool - Wide |

APPLICABLE INDUSTRIES



93382010-S



93382010



93382012-S



93382012



93382023SS



93382020

APPLICABLE INDUSTRIES



93380350-WSM



93380356



93380358



93380351-WMS



93380357

Ringless Meter Locking Devices

Highfield offers a variety of ringless meter locking devices that are engineered to secure all styles of ringless meter sockets and CT cabinets regardless of material thickness.

Our products' design not only provides versatile installation and compatibility with our barrel lock and key systems but they offer maximum protection for utility equipment.

ADJUSTABLE MINUTE METER GUARDS

Adjustable Minute Meter Guards are engineered to secure all styles of ringless meter sockets and CT cabinets regardless of material thickness. These guards incorporate a hex design that allows the top plate to adjust in 60° increments. This feature is desirable when mounting near conduit or odd shaped enclosures.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-------------------------------|-------------|--|
| Adjustable Minute Meter Guard | 93380313 | Adjustable Minute Meter Guard with Plastic Ferrule |

INTEGRAL PAN TAB LOCKS

Integral Pan Tab Locks are engineered to secure meter sockets without punching a mounting hole for securing locking hardware onto customer-owned meter enclosures.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|------------------|-------------|---|
| Integral Pan Tab | 93380330 | Pan Tab Latch For Meter Sockets (#6 Type) |

MINUTE METER GUARDS

Minute Meter Guards are engineered to quickly secure meter sockets or enclosures in a variety of positions with limited working space. These ringless meter locking device are compatible with all standard barrel and REVPRO® locks.


| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-------------|---|
| Minute Meter Guard | 93380310 | Minute Meter Guard - Use Standard Barrel Lock |

PANEL LOCKS

Panel Locks are fabricated entirely from case-hardened steel. These security devices replace case screws on metal enclosures to provide maximum protection for utility equipment.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|----------------|-------------|-------------------------|
| Panel Lock | 93380711 | Panel Lock (Less Screw) |

APPLICABLE INDUSTRIES



93380313

APPLICABLE INDUSTRIES




93380330

APPLICABLE INDUSTRIES



93380310

APPLICABLE INDUSTRIES



93380711

Ringless Meter Locking Devices

SPEEDY GLOBAL MOUNTS

Speedy Global Mounts secure the electric meter enclosure cover at both the side and/or bottom of the enclosure. Incorporated into the design is a unique four prong foot that bites into the inside wall of the enclosure minimizing movement after installation. No tools are required to install these mounts.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|---------------------|-------------|---|
| Speedy Global Mount | 93380318-G | Speedy Global Mount With Plastic Seal Ferrule |
| Speedy Global Mount | 93380318-BR | Speedy Bottom Mount With Plastic Seal Mount |
| Speedy Global Mount | 93380318-S | Speedy Side Mount With Plastic Seal Mount |

APPLICABLE INDUSTRIES



93380318-G



93380318-BR



93380318-S



Security Hardware

Highfield offers a variety of security hardware solutions for the gas, water and electric utilities. Our products maximize security, prevent tampering and safeguard lock-offs for any meter or valve. Our products are designed to protect revenues by minimizing theft of service and preventing meter tampering or bypassing.

MAXIMIZING SECURITY

CAST WING VALVE PROTECTORS

Highfield's Cast Wing Valve Protectors are ruggedly engineered to maximize protection for wing-style gas and water service valves. They are manufactured from a cast hardened steel alloy and plated for protection against the elements.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|---------------------------|-------------|---|
| Cast Wing Valve Protector | 93210153 | Cast Wing Valve Protector For ¾" Through 1¼" Valves |
| Cast Wing Valve Protector | 93210152 | Cast Wing Valve Protector For ¾" Through 1¼" Valves With Seal Mount |
| Cast Wing Valve Protector | 93210153-J | Cast Wing Valve Protector For Jomar Valve |
| Cast Wing Valve Protector | 13208953-L | Cast Wing Valve Protector For 2" Valves |

CLAM SHELL CLAMPS

Clam Shell Clamps ensure that gas valves are locked in the closed position, protecting the cast iron valves from damaging blows. They can be securely installed with either the lock seal assembly or desired barrel lock and cap. Optional colored powder coating is available.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|------------------|-------------|-------------------------------------|
| Clam Shell Clamp | 93280170 | ½" - ¾" Clam Shell Clamp - Hinged |
| Clam Shell Clamp | 93280172 | ¾" Appliance Valve Cover |
| Clam Shell Clamp | 93280174 | 1" - 1 ¼" Clam Shell Clamp - Hinged |
| Clam Shell Clamp | 93280178 | 1 ¼" Clam Shell Clamp - Hinged |
| Clam Shell Clamp | 93280182 | 1 ½" Clam Shell Clamp - Hinged |
| Clam Shell Clamp | 93280186 | 2" Clam Shell Clamp - Hinged |

APPLICABLE INDUSTRIES



93210152




93210153

APPLICABLE INDUSTRIES




93280170



93280182



93280174



93280186



93280178

Security Hardware

LOCK SEAL ASSEMBLIES

Lock Seal Assemblies are cost-effective locking and sealing devices in a single unit. They can be installed on a wing or wingless style gas meter connection nut with mating security hardware. The lock seal provides positive protection against unauthorized use of gas as well as readily providing evidence of any tampering.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|---------------------|-------------|---|
| Lock Seal Component | 93210120 | Lock Seal Head Less Seal |
| Lock Seal Component | 93210120-W | Lock Seal Head Less Seal With Hole For Meter Seal |
| Lock Seal Component | 93210121 | Lock Seal Head Tapered Less Seal |
| Lock Seal Component | 93280148 | Lock Seal Head With Aluminum Seal |
| Lock Seal Component | 93280156 | Lock Seal Head Tapered With Aluminum Seal |
| Lock Seal Component | 93210140 | Stud - Regular Diameter |
| Lock Seal Component | 93210141 | Stud - Small Diameter |
| Lock Seal Component | 93210142 | Stud - Regular Diameter Extra Long (1 1/2") |
| Lock Seal Component | 93210143 | Stud - Small Diameter Extra Long |
| Lock Seal Component | 93210130 | Replacement Seal - Aluminum |
| Lock Seal Component | 93280139 | Lock Seal Key |
| Lock Seal Component | 93280160 | Seal Press |
| Lock Seal Component | 93110117 | Plastic Red Cap For Lock Seal Heads |

SHACKLE LOCK SEAL ASSEMBLIES

Shackle Lock Seals secure a variety of pedestals and sheet metal enclosures without the use of a key or hand tools. Fabricated from case hardened steel, these security devices replace disposable padlocks and seals used to secure various styles of enclosures.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-----------------------------|-------------|---|
| Shackle Lock Seal Component | 93210206 | 1/4" Lock Seal Shackle Assembly |
| Shackle Lock Seal Component | 93210205 | 1/4" Shackle Only |
| Shackle Lock Seal Component | 93210215 | 5/16" Shackle Only |
| Shackle Lock Seal Component | 93210216 | 5/16" Lock Seal Shackle Assembly |
| Shackle Lock Seal Component | 93210202 | Mini-Lock Seal Head - Less Seal |
| Shackle Lock Seal Component | 93210203 | Mini-Lock Seal Head - Complete With Silver Seal |
| Shackle Lock Seal Component | 93210130 | Replacement Seal - Aluminum |
| Shackle Lock Seal Component | 93210208 | Mini-Lock Seal Key |
| Shackle Lock Seal Component | 93280160 | Seal Press |

APPLICABLE INDUSTRIES



93280160

APPLICABLE INDUSTRIES



93280160

Security Hardware

WATER VALVE GUARDS

Water Valve Guards are engineered to maximize protection against hammer blows, sawing and other forms of tampering. These water guards accept standard length barrel locks.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-------------------|-------------|--|
| Water Valve Guard | 93500100 | Lock For Jones Valve |
| Water Valve Guard | 93500200 | Cast Wing Valve Protector For Water Valves |

TAMPERING PREVENTION

METER UNION GUARDS

Meter Union Guards are ruggedly constructed of case hardened steel with corrosion-resistant plating. They are easy to install locking devices that completely encompass the meter union nut to eliminate unauthorized removal of the gas meter, and prevent unsafe gas meter bypasses.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-------------------|-------------|-------------------------|
| Meter Union Guard | 93280195 | 20 LT Meter Union Guard |

METER UNION CLAMPS

Meter Union Clamps prevent reversed meters, meter bypasses and unauthorized meter reconnects. Our hinged design permits easy field installation. The clamps are secured in place with either the lock seal assembly or various barrel locking systems. Optional colored powder coating is available.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-------------|---|
| Meter Union Clamps | 93280190 | 5 LT Meter Union Clamp - Hinged |
| Meter Union Clamps | 93280193 | 10 LT Meter Union Clamp - Hinged |
| Meter Union Clamps | 93280196 | 20 LT Meter Union Clamp - Hinged - Minimum Order Required |
| Meter Union Clamps | 93280197 | 1A Sprague Meter Union Clamp - Hinged |

APPLICABLE INDUSTRIES



93500100



93500200

APPLICABLE INDUSTRIES



93280195

APPLICABLE INDUSTRIES



93280190



93280193



93280197

Security Hardware

SAFEGUARD LOCK-OFFS

LOCK PLUGS & CAPS - HIGH SECURITY

Highfield's High Security Lock Plugs and Caps safely and securely solve open-ended piping problems. Our high security plugs and caps are economical, easily installed and available with a wide range of barrel locks including the REVPRO® system.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|--|-------------|--|
| Lock Plugs - High Security | 93280450 | ½" N.P.T. High Security Lock Plug |
| Lock Plugs - High Security | 93280451 | ¾" N.P.T. High Security Lock Plug |
| Lock Plugs - High Security | 93280452 | 1" N.P.T. High Security Lock Plug |
| Lock Plugs - High Security | 93280453 | 1 ¼" N.P.T. High Security Lock Plug |
| Lock Plugs - High Security | 93280454 | 1 ½" N.P.T. High Security Lock Plug |
| Lock Plugs - High Security | 93280455 | 2" N.P.T. High Security Lock Plug |
| Lock Plugs - High Security Low Profile | 93280500 | ½" Low Profile High Security Lock Plug With Self-Contained #6 Lock |
| Lock Plugs - High Security Low Profile | 93280501 | ¾" Low Profile High Security Lock Plug With Self-Contained #6 Lock |
| Lock Plugs - High Security Low Profile | 93280502 | 1" Low Profile High Security Lock Plug With Self-Contained #6 Lock |

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|---------------------------|-------------|-----------------------------|
| Lock Caps - High Security | 93280414 | 1 ½" High Security Lock Cap |

APPLICABLE INDUSTRIES



93280450



93280451



93280500



93280501



932804502

Security Hardware

LOCK PLUGS & CAPS - STANDARD

Our Standard Lock Plugs and Caps are engineered to permanently lock off open pipe ends, service cleanouts, discontinued services, etc. They can be installed and locked using the #4 key. The hex head of the lock plug or lock cap rotates freely, preventing unauthorized removal.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-----------------------|-------------|-----------------------|
| Lock Plugs - Standard | 93280200 | ½" N.P.T. Lock Plug |
| Lock Plugs - Standard | 93280201 | ¾" N.P.T. Lock Plug |
| Lock Plugs - Standard | 93280202 | 1" N.P.T. Lock Plug |
| Lock Plugs - Standard | 93280203 | 1 ¼" N.P.T. Lock Plug |
| Lock Plugs - Standard | 93280204 | 1 ½" N.P.T. Lock Plug |
| Lock Plugs - Standard | 93280205 | 2" N.P.T. Lock Plug |

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|----------------------|-------------|----------------------|
| Lock Caps - Standard | 93280210 | ½" N.P.T. Lock Cap |
| Lock Caps - Standard | 93280211 | ¾" N.P.T. Lock Cap |
| Lock Caps - Standard | 93280212 | 1" N.P.T. Lock Cap |
| Lock Caps - Standard | 93280213 | 1 ¼" N.P.T. Lock Cap |
| Lock Caps - Standard | 93280214 | 1 ½" N.P.T. Lock Cap |
| Lock Caps - Standard | 93280215 | 2" N.P.T. Lock Cap |

APPLICABLE INDUSTRIES



93280201



93280202



93280203



93280211



93280212



93280213

Utility Padlocks


Highfield's utility padlocks are designed specifically for use on electric, gas and water distribution systems. Among the multitude of applications, the padlocks can be used to secure wing type valves, electric meter installations, electrical switchgear installations, CT cabinets and other assorted enclosures or equipment with a latch or provision for a padlock.

Our barrel lock and key systems are manufactured with plated and case hardened components for corrosion protection and a longer durable life. They are available in copper, cadmium or chromate finishes, for quick and easy visual identification.


UNIVERSAL UTILITY PADLOCKS

Universal Utility Padlocks are secured in place with any standard length utility barrel lock, thus eliminating additional keys to be carried by field personnel. Specially keyed barrel locks are available upon request from Highfield in either #6, Beta, REVPRO® or standard barrel lock.


APPLICABLE INDUSTRIES




93180500



93180501



93180503



93180504

| PRODUCT SERIES | PART NUMBER | SHACKLE HEIGHT | SHACKLE DIAMETER | INCLUDES SEAL MOUNT |
|---------------------------|-------------|----------------|------------------|---------------------|
| Universal Utility Padlock | 93180500 | 11/16" | 5/16" | No |
| Universal Utility Padlock | 93180503 | 11/16" | 5/16" | Yes |
| Universal Utility Padlock | 93180501 | 2" | 5/16" | No |
| Universal Utility Padlock | 93180504 | 2" | 5/16" | Yes |


PRELOADED PADLOCKS

One-piece Preloaded Padlocks are designed for durability and ease of installation on a variety of metal or ABS enclosures. No key is required for installation. The internal lock mechanism of the padlock can be custom manufactured to provide any one of a variety of barrel lock systems.

APPLICABLE INDUSTRIES



93180520-6



93180531-6

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-------------------|-------------|---|
| Preloaded Padlock | 93180520-6 | Integral Padlock With Preloaded #6 Lock Mechanism - Short Shackle 5/16" |
| Preloaded Padlock | 93180521-6 | Integral Padlock With Preloaded #6 Lock Mechanism - Long Shackle 5/16" |
| Preloaded Padlock | 93180530-6 | Integral Padlock With Preloaded #6 Lock Mechanism - Short Shackle 1/4" |
| Preloaded Padlock | 93180531-6 | Integral Padlock With Preloaded #6 Lock Mechanism - Long Shackle 1/4" |

Utility Padlocks

INTEGRAL REVPRO® PADLOCKS

Integral REVPRO® Padlocks are engineered for the same key to operate both barrel locks, as well as REVPRO® padlocks. There is no longer a need for field investigators to carry different keys for different security devices. REVPRO® lock and key systems are only sold to utility companies.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|--------------------------|------------------|--|
| Integral REVPRO® Padlock | ETO-93180500-RXX | Short Shackle Integral REVPRO® Padlock - 5/16" Shackle |
| Integral REVPRO® Padlock | ETO-93180501-RXX | Long Shackle Integral REVPRO® Padlock - 5/16" Shackle |
| Integral REVPRO® Padlock | ETO-93180510-RXX | Short Shackle Integral REVPRO® Padlock - 1/4" Shackle |
| Integral REVPRO® Padlock | ETO-93180511-RXX | Long Shackle Integral REVPRO® Padlock - 1/4" Shackle |

APPLICABLE INDUSTRIES



ETO-93180500-RXX



Gas Safety Valves & Swivel Products

In the event of a fire, the Highfield Fusible Fire Valve will permanently shut off the flow of gas at the service entrance or gas meter. The spring-loaded internal plunger mechanism automatically activates when the ambient air temperature reaches 136 degrees Fahrenheit. This causes the plunger to immediately close against the valve seat preventing gas from feeding a fire, drastically reducing the amount of potential fire damage to your property.

Highfield can also assemble customized kits comprised of our gas valves and swivels, guaranteed to fit each other precisely, ensuring a level installation of your gas meter.

GAS SAFETY VALVES

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-------------------|-------------|-----------------------------|
| Gas Safety Valves | 94030010 | 3Offset-1/2 NPT-10 LT |
| Gas Safety Valves | 94030210 | 3Offset-1/2 NPT-1A Short |
| Gas Safety Valves | 94030230 | 3Offset-3/4 NPT-1A Short |
| Gas Safety Valves | 94050500 | 1/2 NPT X 5 LT Nut |
| Gas Safety Valves | 94100015 | 3/4 NPT X10 LT Nut W/Swivel |
| Gas Safety Valves | 94101000 | 3/4 NPT X 10 LT Nut |
| Gas Safety Valves | 94101200 | 3/4 NPT X Sprague 1A Nut |
| Gas Safety Valves | 94303000 | 1 1/4 NPT X 30 LT Nut |
| Gas Safety Valves | 94303001 | 1 1/4NPT X 30LT-W/Plug |
| Gas Safety Valves | 94303400 | 1 1/4 NPT X Male 1 1/4NPT |
| Gas Safety Valves | 94454500 | 1 1/2 NPT X 45 LT Nut |
| Gas Safety Valves | 94606400 | 1 1/2 NPT X Male 1 1/2NPT |
| Gas Safety Valves | 94808400 | 2 NPT X Male 2 NPT |

GAS SAFETY VALVES & SWIVEL KITS

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|---------------------------------|-------------|-----------------------------------|
| Gas Safety Valves / Swivel Kits | 94030015 | Kit Gas Valve 403X10 & Swivel Kit |
| Gas Safety Valves / Swivel Kits | 94303002 | Kit-Swivel-1-1/4 MNPT X 30LT |
| Gas Safety Valves / Swivel Kits | 94303003 | 1 1/4 X 45 LT Valve & Swivel |

APPLICABLE INDUSTRIES



94030010

APPLICABLE INDUSTRIES



Gas Safety Valves & Swivel Products

METER NUT PLUGS

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-----------------|-------------|-----------------------|
| Meter Nut Plugs | 94108827 | 5 LT Meter Plug |
| Meter Nut Plugs | 94108828 | 30 LT Meter Plug |
| Meter Nut Plugs | 94108829 | SPRAGUE 1A Meter Plug |
| Meter Nut Plugs | 94108830 | 10 LT Meter Plug |
| Meter Nut Plugs | 94108831 | 20 LT Meter Plug |

METER NUTS

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|----------------|-------------|----------------------|
| Meter Nuts | 94100002 | 1A Sprague Meter Nut |
| Meter Nuts | 94100005 | 5 LT Meter Nut |
| Meter Nuts | 94100010 | 10 LT. Meter Nut |
| Meter Nuts | 94100020 | 20 LT. Meter Nut |
| Meter Nuts | 94100030 | 30 LT Meter Nut |
| Meter Nuts | 94100045 | 45 LT Meter Nut |

SWIVEL & SWIVEL ADAPTERS

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|--------------------------|-------------|-------------------------------|
| Swivel & Swivel Adapters | 94100050 | Offset Swivel-5LT. |
| Swivel & Swivel Adapters | 94100052 | Reducing Swivel-10 TO 5LT |
| Swivel & Swivel Adapters | 94100055 | Swivel 3/4X1A Sprg.X 3Offset |
| Swivel & Swivel Adapters | 94100100 | Offset Swivel-10 LT. |
| Swivel & Swivel Adapters | 94100305 | 30LT. Adapter Swivel & Nut |
| Swivel & Swivel Adapters | 94100450 | Offset Swivel-45 LT. |
| Swivel & Swivel Adapters | 94100455 | 45 LT Swivel Assembly |
| Swivel & Swivel Adapters | 94100053 | Offset Meter Swivel-1A-1/2NPT |

APPLICABLE INDUSTRIES



94108827

APPLICABLE INDUSTRIES



94100010

APPLICABLE INDUSTRIES



94100050

Kits & Accessories

Kits and accessories from Highfield are engineered to provide operating field personnel with a safe, efficient, lightweight tools for installation, repair, removal or added protection of meter rings, ringless meter sockets, wiring troughs, CT cabinets and other assorted enclosures.

INSTALLATION KITS

Installation Kits are constructed of cold rolled steel and insulated for safety. The tool is designed to automatically locate the single mounting hole required for installation of external locking devices on various enclosures.


| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-------------------|-------------|---------------------------------------|
| Installation Kits | 93389002 | Installation Kit - Flangeless Sockets |
| Installation Kits | 93389006 | Installation Kit - Flanged Sockets |
| Installation Kits | 93380289 | Replacement Ram Screw Assembly |
| Installation Kits | 93380281 | Replacement Punch |
| Installation Kits | 93380282 | Replacement Die |

SQUARE D KNOCKOUT KITS

Square D Knockout Kits secure individual and gang bank meters against dangerous tampering. The kit includes a stainless steel receptacle with a nut that are inserted into the enclosure cover's knockout hole punch. Pair this kit with an "L" shaped bracket and any standard length barrel lock for complete security.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|-----------------------|-------------|------------------------------------|
| Square D Knockout Kit | 93388996SS | Stainless steel receptacle and nut |

APPLICABLE INDUSTRIES




93389002



93389006

APPLICABLE INDUSTRIES



93388996SS

Kits & Accessories

FRONT ENTRY RING REMOVAL KITS

Front Entry Ring Removal Kits are designed to provide utility personnel with a reusable tool for quick and efficient removal of Highfield's front entry meter rings from field meter installations. This tool will not operate on the Armor Ring series or other competitive front entry rings.


| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|------------------|-------------|--|
| Ring Removal Kit | 93389025 | F. E. Ring Removal Kit (includes mounting frame and ram screw, threaded handle, and universal ratchet drive) |
| Ring Removal Kit | 93389026 | Replacement ram screw assembly only |
| Ring Removal Kit | 93389027 | Universal ratchet drive only |

LOCK EXTRACTOR KITS

Lock Extractor Kits from Highfield are engineered for fast, efficient removal of inoperative barrel locks from any type of security hardware on a utility system. The unique design of the extractor element utilizes a reverse taper pin. This allows the lock to be "grabbed" by the inside diameter of the keyhole avoiding damage to the surrounding hardware. In many cases, the equipment may be re-used after extraction of the lock.

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|--------------------|-------------|---|
| Lock Extractor Kit | 93389020 | Lock Extractor Kit complete (includes 10 extractor elements, lock extractor, hammer, wrench, screw driver, and carrying case) |
| Lock Extractor Kit | 93389021 | Lock Extractor basic (includes 10 extractor elements, lock extractor, and carrying case) |
| Lock Extractor Kit | 93389022 | Extractor Elements (packaged 10 pieces per package) |

APPLICABLE INDUSTRIES



93389025

APPLICABLE INDUSTRIES



93389020

Kits & Accessories

ACCESSORIES

| PRODUCT SERIES | PART NUMBER | DESCRIPTION |
|----------------|-----------------|--|
| End Caps | 93110100 | "Silver" End Cap For Barrel Locks" |
| End Caps | 93110102 | "Gold" End Cap For Barrel Locks |
| End Caps | 93110104 | Stainless Steel End Cap For Barrel Lock |
| End Caps | 93110105 | Stainless Steel With 2 Grooves & O Ring Seals For Paladin - Stainless Steel End Cap Without-Ring |
| End Caps | 93110116 | EC - 10 Plastic Cap - Red |
| Dust Caps | 93110110 | Plastic Dust Cap - Clear |
| Plastic Plug | 93110115-YELLOW | Plastic Plug - Yellow |
| Plastic Plug | 93110115-GRAY | Plastic Plug - Gray |
| Plastic Plug | 93110115-RED | Plastic Plug - Red |
| Plastic Plug | 93110115-CLEAR | Plastic Plug - Clear |
| Seal Caps | 93310118-G | Slotted Plastic Seal Cap - Gold |
| Seal Mounts | 93310119-G | Gold Plastic Seal Mount |
| Seal Mounts | 93310119-S | Silver Plastic Seal Mount |
| Seal Mounts | 93310120 | Plated Steel Seal Mount |

APPLICABLE INDUSTRIES



93110100



93110115-GRAY



93110115-RED



93110115-YELLOW



HIGHFIELD™

Regal Rexnord

Contact us: 414-489-7700

[highfield-mfg.com](https://www.highfield-mfg.com) | [regalrexnord.com](https://www.regalrexnord.com)

The proper selection and application of products and components, including assuring that the product is safe for its intended use, are the responsibility of the customer. To view our Application Considerations, please visit <https://www.regalrexnord.com/Application-Considerations>.

To view our Standard Terms and Conditions of Sale, please visit <https://www.regalrexnord.com/Terms-and-Conditions-of-Sale> (which may redirect to other website locations based on product family).

"Regal Rexnord" is not indicative of legal entity. Refer to product purchase documentation for the applicable legal entity. Regal Rexnord and Highfield Manufacturing Co. are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

© 2024, 2025 Regal Rexnord Corporation, All Rights Reserved. MCB-11480-HF-EN-US 09/25

 **RegalRexnord™**